



## Desert Resistant Body Armor Vest



### 1.1 SPECIFICATION SHEET

DESIGNED SPECIALLY FOR WARM AND DRY CLIMATE CONDITIONS. THE VEST IS AWARELY KNOWN AS THE PREFERRED VEST FOR SPECIAL UNITS AND TROOPS IN THE EXTREME ENVIRONMENTAL CONDITIONS IN MIDDLE EAST, THE AMERICAS AND ASIA. ALL FABRICS ARE WATER-RESISTANT AND FLEXIBLE

#### PERFORMANCE PROTECTION:

- STANDARD USA NATIONAL INSTITUTION OF JUSTICE (NIJ) 0101.014 LEVEL III
- BALLISTIC PERFORMANCE: TESTED IN COMPLIANCE WITH THE AMERICAN NATIONAL INSTITUTION OF JUSTICE STANDARD NIJ 0101.04
- PROTECTION LEVEL **III** ACCORDING TO NIJ STANDARDS
- THIS VEST PROTECTS AGAINST 7.62 MM FULL METAL JACKETED (FMJ) BULLETS (U.S. MILITARY DESIGNATION M80), WITH NOMINAL MASSES OF 9.6 G (148 GR) IMPACTING AT A MINIMUM VELOCITY OF 838 M/S (2750 FT/S) OR LESS.
- THIS VEST PROTECTS AGAINST 9 MM FULL METAL JACKETED ROUND NOSE (FMJ RN) BULLETS, WITH NOMINAL MASSES OF 8.0 G (124 GR) IMPACTING AT A MINIMUM VELOCITY OF 427 M/S (1400 FT/S) OR LESS, AND 44 MAGNUM SEMI JACKETED HOLLOW POINT (SJHP) BULLETS, WITH NOMINAL MASSES OF 15.6 G (240 GR) IMPACTING AT A MINIMUM VELOCITY OF 427 M/S (1400 FT/S) OR LESS. IT ALSO PROVIDES PROTECTION AGAINST MOST HANDGUN THREATS OR LESS.

THIS ARMOR PROTECTS AGAINST .22 CALIBER LONG RIFLE LEAD ROUND NOSE (LRN) BULLETS, WITH NOMINAL MASSES OF 2.6 G (40 GR) IMPACTING AT A MINIMUM VELOCITY OF 320 M/S (1050 FT/S) OR LESS, AND 380 ACP FULL METAL JACKETED ROUND NOSE (FMJ RN) BULLETS, WITH NOMINAL MASSES OF 6.2 G (95 GR) IMPACTING AT A MINIMUM VELOCITY OF 312 M/S (1025 FT/S) OR LESS.



## Mushriqui Consulting LLC

- THIS ARMOR PROTECTS AGAINST 9 MM FULL METAL JACKETED ROUND NOSE (FMJ RN) BULLETS, WITH NOMINAL MASSES OF 8.0 G (124 GR) IMPACTING AT A MINIMUM VELOCITY OF 332 M/S (1090 FT/S) OR LESS, AND 40 S&W CALIBER FULL METAL JACKETED (FMJ) BULLETS, WITH NOMINAL MASSES OF 11.7 G (180 GR) IMPACTING AT A MINIMUM VELOCITY OF 312 M/S (1025 FT/S) OR LESS.
- THIS ARMOR PROTECTS AGAINST 9 MM FULL METAL JACKETED ROUND NOSE (FMJ RN) BULLETS, WITH NOMINAL MASSES OF 8.0 G (124 GR) IMPACTING AT A MINIMUM VELOCITY OF 358 M/S (1175 FT/S) OR LESS, AND 357 MAGNUM JACKETED SOFT POINT (JSP) BULLETS, WITH NOMINAL MASSES OF 10.2 G (158 GR) IMPACTING AT A MINIMUM VELOCITY OF 427 M/S (1400 FT/S) OR LESS.

### 1.2 CONSTRUCTION & MATERIAL:

- FITTED WITH WATER RESISTANT AND FLEXIBLE FABRIC, FOR HARSH CLIMATE CONDITIONS.
- SPECIAL INNER FABRIC FOR BODY HEAT AND SWEAT ABSORBANCY.
- 100% ARAMID BALLISTIC PACKAGE

### 1.3 OPTIONAL DESIGN:

- BALLISTIC PANEL: NIJ LEVEL IIIA, ZYLON-FREE
- ADDITIONAL PLATES TO UPGRADE THE LEVEL OF PROTECTION UP TO LEVEL IV
- COLLAR AND GROIN PROTECTOR
- AIR CIRCULATION SYSTEM AND ANTI BACTERIAL COVER
- MULTIPLE POUCHES AND POCKETS

### 1.4 MATERIAL:

- VEST: UP TO 3.3 KG (FOR FULL LEVEL IIIA, MEDIUM SIZE)
- LEVEL III LIGHTWEIGHT PLATES: SET OF 2 LIGHTWEIGHT NIJ LEVEL III STAND ALONE POLYETHYLENE PLATES 1.1 KG EACH (2.2 KG FOR THE COMPLETE SET)

### 1.5 SIZE:

- ALL SIZES AVAILABLE

### 1.6 COLOR:

- ALL COLORS ARE AVAILABLE

### 1.7 CERTIFICATE:

- H. P. WHITE LABORATORIES U.S.A
- UNITED STATES LABORATORY



## Mushriqui Consulting LLC

### 1.8 WARRANTY:

- 10 YEARS WARRANTY FOR THE BALLISTIC PANNEL
- 2 YEARS WARRANTY FOR DEFECTS IN MATERIALS AND WORKMANSHIP
- Warranty Service Request is Available Online at [http://www.mushriquiconsulting.com/warrant\\_v.asp](http://www.mushriquiconsulting.com/warrant_v.asp)

Request for Quotation [\(Click Here\)](#)